EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	8	(data near5 field) near10 (search$3 quer$4) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/17 23:12
S6	2763	707/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:25
S9	2107	S6 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:26
S10	136	S9 and (search$3 quer$4) near5 synonym	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:27

S12	13	S9 and synonym and ((differen$3 vari$3 variation) near5 writ$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:39
S13	5	S9 and synonym near10 (search$3 quer$4) near10 field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:47
S14	2	synonym$3 near10 levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:49
S15	2	synonym$3 same levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:49

S16	18	synonym$3 and levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 10:49
S17	1	(data near5 field) near10 (generat$3) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 11:00
S18	31	((input$3 search$3 quer$4) near5 field) near10 synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 11:01
S21	2	synonym$3 near5 (last adj name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 15:51

S22	606	synonym$3 near10 (spell$3 writ$3 pronunciat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 15:52
S23	345	synonym$3 near10 (spell$3 writ$3 pronunciat$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 15:53
S24	43	(search$3 find$3 quer$4) near10 synonym$3 near10 (spell$3 writ$3 pronunciat$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 16:59
S25	3	(search$3 find$3 quer$4) near10 synonym$3 near10 spell$3 near5 (vari$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 17:02

EAST Search History

S26	15	synonym$3 near10 spell$3 near5 (vari$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 17:04
S27	2536	synonym$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 17:05
S28	49	(search$3 quer$4) near5 synonym$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 17:06
S29	49	(search$3 quer$4) near5 synonym$3 and ("colour" near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/02 17:06

S30	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/03 11:44
S31	1	10/484333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/03 11:51
S34	1724301	(HIERARCHICAL PRESEARCH-TYPE DOCUMENT).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/03 13:50
S36	281	synonym$3 with (spell$3 notat$3) with (differen$3 vari$3 variation$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/03 16:10

S37	69	synonym$3 with (spell$3 notat$3) with (differen$3 vari$3 variation$1) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/03 16:48
S39	17	synonym$3 with (spell$3 notat$3) with (differen$3 vari$3 variation$1) same (name street customer id identification) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 00:11
S41	35	synonym$3 with (spell$3 notat$3) with (differen$3 vari$3 variation$1) and ((input$3 quer$3 search$3) near5 field) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/03 17:24
S44	2	((text input$3) near5 field) same (synonym$3 with $3spell$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 12:59

S45	16	((text input$3 data) near5 field) same (synonym$3 with $3spell$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/04 15:50
S46	1	((last first company) near5 name) same (synonym$3 with $3spell$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/04 15:57
S48	10	((text input$3 data search$3 quer$4) near5 field) and (synonym$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 15:11
S49	22	((geograph$5 street first last) near5 name) and (synonym$3 with $3spell$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 16:40

S51	2	"at least" near5 synonym$3 near5 candidate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 17:37
S52	6	"at least" near5 ("a" "one" "an") near5 synonym$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 17:38
S53	249	synonym$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 18:46
S54	9	(least) near5 synonym$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 00:27

EAST Search History

S55	33	("20030037041"|"200302 17052"|"20030217052"|"2 0050015366"|"200500153 66"|"20050080614"|"2005 0080614"|"20050080776" |"20050080776"|"483985 3"|"5237503"|"5317507"|" 5331556"|"5541836"|"561 9709"|"5675819"|"569459 2"|"5873056"|"5926811"|" 6081774"|"6088692"|"610 1492"|"6161084"|"625662 9"|"6256629"|"6269368"|" 6269368"|"6405190"|"640 5190"|"6460029"|"646002 9"|"6460034"|"6460034"|" 6480843"|"6480843"|"651 0406"|"6510406"|"652302 6"|"6523026"|"6647383"|" 6647383"|"6675159"|"667 5159"|"6684205"|"668420 5"|"6766316"|"6799316"|" 6865575"|"6865575").PN.	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/06 21:53
S58	38	(search$3 find$3 determin$3 look$3 quer$4) with (candidate near5 synonym$3)	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/06 18:40
S59	1	"20040024760"	US-PGPU B; USPAT; USOCR; FPRS; EPO; JPO; IBM_TD B	OR	ON	2008/01/06 18:40

S60	29	synonym$3 near5 (potential candidate) same (probabili$4 algorithm scor$3 degree$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 19:03
S62	1	synonym$3 near5 (potential candidate nominat$3) with criteri$2 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 21:47
S63	1	evaluat$3 with (synonym$3 near5 (potential candidate nominat$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 19:10
S64	4	rank$3 with (synonym$3 near5 (potential candidate nominat$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 19:13

S65	31	automatic$4 near5 select$3 near5 synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 19:16
S67	4	(record) same (synonym$3 near5 (potential candidate nominat$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 21:48
S70	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:27
S71	42	((street cit$3 countr$3 county counties) near5 name) same synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:31

EAST Search History

S72	1	((street cit$3 countr$3 county counties) near5 name) same synonym$3 same $3spell$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:33
S73	42	((street cit$3 countr$3 county counties) near5 name) same synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:39
S74	185	least with one with synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:40
S75	144	least near5 one near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:40

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son_10_559_386_case.wsp

S76	283	least near5 one near5 synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:40
S77	291	least near5 (a an one) near5 synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 22:40
S78	42	(search$3 quer$4) with (least near5 (a an one) near5 synonym$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 23:36
S79	2	(search$3 quer$4) with (least near5 (a an one) near5 synonym$3 near5 (candidate potential nominat$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 23:37

S80	1	(list$3 generat$3 determin$3 extract$3 produc$3 creat$3) with (least near5 (a an one) near5 synonym$3 near5 (candidate potential nominat$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/06 23:57
S81	73	(list$3 generat$3 determin$3 extract$3 produc$3 creat$3) with (least near5 (a an one) near5 synonym$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 00:23
S83	107	(synonym$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 00:12
S84	1	least near5 (one a an) near5 (synonym$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 00:13

EAST Search History

S85	9	(synonym$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") and 707/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 00:16
S90	5	(generat$3 determin$3 extract$3 creat$3) near5 (least) near5 synonym$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 00:29
S91	2	("4773039" "5742834"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/07 11:03
S93	40	(levenshtein near5 distance) not speech and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/17 23:12

EAST Search History

S94	116	(eras$3 discard$3 eliminat$3) near5 synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/17 23:55
S95	20	discard$3 near5 synonym$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/01/17 23:58